



ARIB STD-T63-36.523-1 V11.2.0

**Evolved Universal Terrestrial
Radio Access (E-UTRA)
and Evolved Packet Core (EPC);
User Equipment (UE)
conformance specification;
Part 1: Protocol conformance
specification**

(Release 11)

3GPP TS 36.523-1 V11.2.0 (2013-03)

Technical Specification

**3rd Generation Partnership Project;
Technical Specification Group Radio Access Network;
Evolved Universal Terrestrial Radio Access (E-UTRA)
and Evolved Packet Core (EPC);
User Equipment (UE) conformance specification;
Part 1: Protocol conformance specification
(Release 11)**



The present document has been developed within the 3rd Generation Partnership Project (3GPPTM) and may be further elaborated for the purposes of 3GPP.

The present document has not been subject to any approval process by the 3GPP Organizational Partners and shall not be implemented. This Specification is provided for future development work within 3GPP only. The Organizational Partners accept no liability for any use of this Specification. Specifications and reports for implementation of the 3GPPTM system should be obtained via the 3GPP Organizational Partners' Publications Offices.

Keywords

LTE, testing

3GPP

Postal address

3GPP support office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

<http://www.3gpp.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© 2013, 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TTA, TTC).
All rights reserved.

UMTS™ is a Trade Mark of ETSI registered for the benefit of its members
3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners
LTE™ is a Trade Mark of ETSI currently being registered for the benefit of its Members and of the 3GPP Organizational Partners
GSM® and the GSM logo are registered and owned by the GSM Association

Contents

| | |
|---|-----|
| Foreword | 23 |
| Introduction | 23 |
| 1 Scope | 24 |
| 2 References | 24 |
| 3 Definitions, symbols and abbreviations | 26 |
| 3.1 Definitions | 26 |
| 3.2 Abbreviations | 27 |
| 4 Overview | 27 |
| 4.1 Test methodology | 27 |
| 4.1.1 Testing of optional functions and procedures | 27 |
| 4.1.2 Test interfaces and facilities | 27 |
| 4.2 Implicit testing | 27 |
| 4.3 Repetition of tests | 27 |
| 5 Reference conditions | 27 |
| 5.1 Generic setup procedures | 27 |
| 6 Idle mode operations | 28 |
| 6.0 Introduction | 28 |
| 6.0.1 PLMN and TAC | 28 |
| 6.0.2 Other | 29 |
| 6.0.2.1 Values of parameters calculated by the UE | 29 |
| 6.1 In a pure E-UTRAN environment | 29 |
| 6.1.1 PLMN selection | 29 |
| 6.1.1.1 PLMN selection of RPLMN, HPLMN/EHPLMN, UPLMN and OPLMN / Automatic mode | 29 |
| 6.1.1.1a PLMN selection / Automatic mode/between FDD and TDD | 33 |
| 6.1.1.1b PLMN selection of RPLMN, HPLMN/EHPLMN, UPLMN and OPLMN / Automatic mode / Single Frequency operation | 37 |
| 6.1.1.2 PLMN selection of "Other PLMN/access technology combinations" / Automatic mode | 40 |
| 6.1.1.2a PLMN selection of "Other PLMN/access technology combinations" / Automatic mode / Single Frequency operation | 44 |
| 6.1.1.3 Cell reselection of ePLMN in manual mode | 46 |
| 6.1.1.3a Cell reselection of ePLMN in manual mode / between FDD and TDD | 48 |
| 6.1.1.3b Cell reselection of ePLMN in manual mode / Single Frequency operation | 51 |
| 6.1.1.4 PLMN selection in shared network environment / Automatic mode | 52 |
| 6.1.1.4a PLMN selection in shared network environment / Automatic mode / Between FDD and TDD | 55 |
| 6.1.1.5 Void | 58 |
| 6.1.1.6 PLMN selection of RPLMN, HPLMN/EHPLMN, UPLMN and OPLMN / Automatic mode / User reselection | 58 |
| 6.1.1.6a PLMN selection of RPLMN, HPLMN/EHPLMN, UPLMN and OPLMN / Automatic mode / User reselection / Single Frequency operation | 62 |
| 6.1.1.7 PLMN selection / Periodic reselection / MinimumPeriodicSearchTimer | 65 |
| 6.1.2 Cell selection and reselection | 68 |
| 6.1.2.1 Void | 68 |
| 6.1.2.2 Cell selection / Qrxlevmin | 68 |
| 6.1.2.2a Cell selection / Qqualmin | 71 |
| 6.1.2.3 Cell selection / Intra E-UTRAN / Serving cell becomes non-suitable (S<0 or barred) | 75 |
| 6.1.2.3a Cell selection / Intra E-UTRAN / Serving cell becomes non-suitable (Srxlev > 0 and Squal < 0) | 79 |
| 6.1.2.4 Cell reselection | 83 |
| 6.1.2.5 Cell reselection for interband operation | 85 |
| 6.1.2.6 Cell reselection using Q_{hyst} , Q_{offset} and $T_{\text{reselection}}$ | 88 |
| 6.1.2.7 Cell reselection / Equivalent PLMN | 93 |
| 6.1.2.7a Cell reselection / Equivalent PLMN / Single Frequency operation | 97 |
| 6.1.2.8 Cell reselection using cell status and cell reservations / Access control class 0 to 9 | 100 |
| 6.1.2.8a Cell reselection using cell status and cell reservations / Access control class 0 to 9 / Single Frequency operation | 104 |

| | | |
|-----------|--|-----|
| 6.1.2.9 | Cell reselection using cell status and cell reservations / Access control class 11 to 15 | 108 |
| 6.1.2.9a | Cell reselection using cell status and cell reservations / Access control class 11 to 15 / Single Frequency operation | 113 |
| 6.1.2.10 | Cell reselection in shared network environment..... | 117 |
| 6.1.2.11 | Inter-frequency cell reselection | 120 |
| 6.1.2.12 | Cell reselection / Cell-specific reselection parameters provided by the network in a neighbouring cell list | 122 |
| 6.1.2.13 | Cell reselection, $S_{intraSearch}$, $S_{nonintraSearch}$ | 124 |
| 6.1.2.14 | Speed-dependent cell reselection..... | 130 |
| 6.1.2.15 | Inter-frequency cell reselection according to cell reselection priority provided by SIBs | 133 |
| 6.1.2.15a | Inter-frequency cell reselection according to cell reselection priority provided by SIBs / Between FDD and TDD | 138 |
| 6.1.2.15b | Inter-band cell reselection according to cell reselection priority provided by SIBs | 142 |
| 6.1.2.16 | Cell reselection / interband operation / Between FDD and TDD | 145 |
| 6.1.2.17 | Cell reselection for Squal to check against $S_{IntraSearchQ}$ and $S_{nonIntraSearchQ}$ | 150 |
| 6.1.2.18 | Inter-frequency cell reselection based on common priority information with parameters $Thresh_{X, HighQ}$, $Thresh_{X, LowQ}$ and $Thresh_{Serving, LowQ}$ | 157 |
| 6.2 | Multi-mode environment (E-UTRAN, UTRAN, GERAN, CDMA2000) | 161 |
| 6.2.1 | Inter-RAT PLMN selection..... | 161 |
| 6.2.1.1 | Inter-RAT PLMN Selection / Selection of correct RAT for OPLMN / Automatic mode | 161 |
| 6.2.1.2 | Inter-RAT PLMN Selection / Selection of correct RAT for UPLMN / Automatic mode | 165 |
| 6.2.1.3 | Inter-RAT PLMN Selection / Selection of correct PLMN and RAT in shared network environment / Automatic mode | 167 |
| 6.2.1.4 | Inter-RAT PLMN Selection / Selection of correct RAT from the OPLMN list / Manual mode | 171 |
| 6.2.1.5 | 174 | |
| 6.2.1.6 | Inter-RAT Background HPLMN Search / Search for correct RAT for HPLMN / Automatic Mode..... | 174 |
| 6.2.2 | Inter-RAT cell selection | 176 |
| 6.2.2.1 | Inter-RAT cell selection / From E-UTRA RRC_IDLE to UTRA_Idle / Serving cell becomes non-suitable | 176 |
| 6.2.2.2 | Inter-RAT cell selection / From E-UTRA RRC_IDLE to GSM_Idle/GPRS Packet_idle / Serving cell becomes non-suitable..... | 181 |
| 6.2.2.3 | Inter-RAT Cell selection / From E-UTRA RRC_IDLE to HRPD Idle / Serving cell becomes non-suitable | 187 |
| 6.2.2.4 | Inter-RAT Cell selection / From E-UTRAN RRC_IDLE to 1xRTT idle / Serving cell becomes non-suitable | 190 |
| 6.2.2.5 | Cell selection / No USIM | 193 |
| 6.2.2.6 | Inter-RAT Cell selection / From GSM_Idle/GPRS Packet_idle to E-UTRA_RRC_IDLE / Serving cell becomes non-suitable | 195 |
| 6.2.2.7 | Inter-RAT Cell selection / From GSM_Idle/GPRS Packet_idle to E-UTRA_RRC_IDLE ,when the serving cell is barred..... | 196 |
| 6.2.2.8 | Inter-RAT cell selection / From UTRA_Idle to E-UTRA RRC_IDLE / Serving cell becomes non-suitable | 198 |
| 6.2.3 | Inter-RAT cell reselection..... | 204 |
| 6.2.3.1 | Inter-RAT cell reselection / From E-UTRA RRC_IDLE to GSM_Idle/GPRS Packet_Idle | 204 |
| 6.2.3.1a | Inter-RAT cell reselection / From E-UTRA RRC_IDLE to GSM_Idle/GPRS Packet_Idle (Squal < $Thresh_{Serving, LowQ}$, S_{rxlev} > $Thresh_{X, LowP}$ and S_{rxlev} > $Thresh_{X, HighP}$) | 209 |
| 6.2.3.2 | Void | 214 |
| 6.2.3.3 | Inter-RAT cell reselection / From UTRA_Idle to E-UTRA RRC_IDLE | 214 |
| 6.2.3.3a | Inter-RAT cell reselection / From UTRA_Idle to E-UTRA RRC_IDLE (QqualminEUTRA, $S_{qual_{ServingCell}} < Thresh_{serving,low2}$, $S_{qual_{nonServingCell,x}} > Thresh_{x, low2}$ and $S_{qual_{nonServingCell,x}} > Thresh_{x, high2}$)..... | 219 |
| 6.2.3.4 | Inter-RAT cell reselection / From UTRA_CELL_PCH state to E-UTRA RRC_IDLE | 226 |
| 6.2.3.4a | Inter-RAT cell reselection / From UTRA_CELL_PCH state to E-UTRA RRC_IDLE based on RSRQ+RSRP evaluation | 230 |
| 6.2.3.5 | Inter-RAT cell reselection / From E-UTRA RRC_IDLE to UTRA_Idle | 237 |
| 6.2.3.5a | Inter-RAT cell reselection / From E-UTRA RRC_IDLE to UTRA_Idle (Squal > $Thresh_{X, HighQ}$, Squal < $Thresh_{Serving, LowQ}$, Squal > $Thresh_{X, LowQ}$ and $S_{nonIntraSearchQ}$)..... | 240 |
| 6.2.3.6 | Inter-RAT cell reselection / From E-UTRA RRC_IDLE to UTRA_Idle according to RAT priority provided by dedicated signalling | 248 |
| 6.2.3.7 | Inter-RAT cell reselection / From E-UTRA RRC_IDLE to HRPD Idle / HRPD cell is higher reselection priority than E-UTRA | 257 |

| | | |
|-----------|--|-----|
| 6.2.3.7a | Inter-RAT cell reselection / From E-UTRA RRC_IDLE to HRPD Idle / HRPD cell is higher reselection priority than E-UTRA ($Srxlev > Thresh_{HRPD, HighP}$) | 262 |
| 6.2.3.8 | Inter-RAT cell reselection / From E-UTRA RRC_IDLE to HRPD Idle / HRPD is lower reselection priority than E-UTRA | 267 |
| 6.2.3.8a | Inter-RAT cell reselection / From E-UTRA RRC_IDLE to HRPD Idle / HRPD cell is lower reselection priority than E-UTRA ($Squal < Thresh_{Serving, LowQ}$ and $Srxlev > Thresh_{HRPD, LowP}$)..... | 272 |
| 6.2.3.9 | Inter-RAT Cell Reselection: from E-UTRA RRC_IDLE to CDMA2000 1xRTT Dormant– When CDMA2000 1xRTT cell is higher reselection priority than E-UTRA..... | 277 |
| 6.2.3.9a | Inter-RAT cell reselection / From E-UTRA RRC_IDLE to 1xRTT Dormant / 1xRTT cell is higher reselection priority than E-UTRA ($Srxlev > Thresh_{1xRTT, HighP}$)..... | 282 |
| 6.2.3.10 | Inter-RAT Cell Reselection: from E-UTRA RRC_IDLE to CDMA2000 1xRTT Idle – When CDMA2000 1xRTT is lower reselection priority than E-UTRA | 287 |
| 6.2.3.10a | Inter-RAT cell reselection / From E-UTRA RRC_IDLE to 1xRTT Dormant / 1xRTT cell is lower reselection priority than E-UTRA ($Squal < Thresh_{Serving, LowQ}$ and $Srxlev > Thresh_{1xRTT, LowP}$) | 292 |
| 6.2.3.11 | Void..... | 298 |
| 6.2.3.12 | Void..... | 298 |
| 6.2.3.13 | Inter-RAT cell reselection / From UTRA_Idle to E-UTRA RRC_IDLE according to RAT priority provided by dedicated signalling | 298 |
| 6.2.3.14 | Inter-RAT Cell Reselection / from GSM_Idle/GPRS Packet_Idle to E-UTRA (priority of E-UTRA cells are higher than the serving cell) | 305 |
| 6.2.3.15 | Inter-RAT Cell Reselection / from GSM_Idle/GPRS Packet_Idle to E-UTRA (priority of E-UTRA cells are lower than the serving cell)..... | 308 |
| 6.2.3.16 | Inter-RAT Cell Reselection / from GSM_Idle to E-UTRAN /based on H_PRIO criteria..... | 310 |
| 6.2.3.17 | Inter-RAT Cell Reselection / from GSM_Idle/GPRS Packet_Idle to E-UTRA (priority E-UTRA cells) | 313 |
| 6.2.3.18 | Inter-RAT Cell Reselection / from GSM_Idle/GPRS Packet_Idle to E-UTRA (blacklisted E-UTRA cells)..... | 315 |
| 6.2.3.19 | Redirection to E-UTRA upon the release of the CS connection..... | 317 |
| 6.2.3.20 | Void..... | 320 |
| 6.2.3.21 | Inter-RAT cell reselection / From GPRS Packet_Transfer (NC0 mode) to E-UTRA | 320 |
| 6.2.3.22 | Inter-RAT Cell Reselection Failure / from GPRS Packet_Transfer (NC0 mode) to E-UTRA..... | 322 |
| 6.2.3.23 | Inter-RAT Cell Reselection from GPRS Packet transfer to E-UTRA in CCN Mode(PACKET CELL CHANGE CONTINUE)..... | 326 |
| 6.2.3.24 | Inter-RAT Cell Reselection from GPRS Packet transfer to E-UTRA in CCN Mode (PACKET CELL CHANGE ORDER)..... | 328 |
| 6.2.3.25 | Void..... | 331 |
| 6.2.3.26 | Inter-RAT Autonomous Cell Reselection GPRS Packet_transfer to E-UTRA (NC1 mode) | 331 |
| 6.2.3.27 | Inter-RAT Cell selection from GPRS Packet_transfer to E-UTRA (NC2 Mode) | 334 |
| 6.2.3.28 | Inter-RAT Cell Reselection from GPRS Packet_transfer to E-UTRA (Network Assisted Cell Change) | 338 |
| 6.2.3.29 | Inter-RAT cell Reselection from GPRS packet_transfer to E-UTRA in CCN mode (PACKET MEASUREMENT ORDER)..... | 342 |
| 6.2.3.30 | Inter-RAT Cell Reselection failure from GPRS Packet transfer to E-UTRA (Network Assisted Cell Change)..... | 346 |
| 6.2.3.31 | Inter-RAT cell reselection / From UTRA_Idle (low priority) to E-UTRA RRC_IDLE (high priority) according to RAT priority provided by dedicated signalling | 351 |
| 6.2.3.32 | Inter-RAT cell reselection / From E-UTRA RRC_IDLE to UTRA_Idle, $S_{nonintrasearch}$ | 357 |
| 6.2.3.33 | Inter-RAT cell reselection / From E-UTRA RRC_IDLE to UTRA_Idle / Squal based cell reselection parameters are broadcasted in E-UTRAN / UE does not support Squal based cell reselection in UTRAN..... | 361 |
| 6.3 | Closed Subscriber Group cells..... | 364 |
| 6.3.1 | Inter-frequency cell reselection / From E-UTRA RRC_IDLE non-CSG cell to E-UTRA RRC_IDLE CSG cell | 364 |
| 6.3.2 | Inter-RAT cell reselection / From GSM_Idle/GPRS Packet_Idle to E-UTRA idle CSG cell..... | 368 |
| 6.3.3 | Inter-RAT cell reselection / From UTRA_Idle to E-UTRA RRC_IDLE CSG cell | 373 |
| 6.3.4 | Inter-RAT cell reselection / From UTRA CELL_PCH state to E-UTRA RRC_IDLE CSG cell..... | 380 |
| 6.3.5 | Manual support for CSG ID selection | 386 |
| 6.3.6 | Ignoring CSG cells in cell selection/reselection when allowed CSG list is empty or not supported | 391 |
| 6.3.7 | Inter-RAT Cell reselection from E-UTRA idle non-CSG cell to a UTRA CSG cell | 395 |
| 6.3.8 | Inter-RAT CSG Cell Reselection from E-UTRA CSG cell to UTRA CSG cell | 401 |
| 6.3.9 | Manual CSG ID selection across PLMNs..... | 408 |

| | | |
|------------|---|-----|
| 6.3.10 | Intra-Frequency cell selection / From E-UTRA_Idle to E-UTRA RRC_IDLE / CSG cell on same PLMN as previously visited CSG cell | 411 |
| 6.3.11 | Inter-RAT cell reselection / From UTRA_Idle to E-UTRA RRC_IDLE / CSG cell on same PLMN as previously visited CSG cell | 416 |
| 6.3.12 | Inter-RAT cell selection / From E-UTRA RRC_IDLE to UTRA_Idle / CSG cell on same PLMN as previously visited CSG cell..... | 422 |
| 6.4 | Hybrid cells..... | 426 |
| 6.4.1 | Manual CSG ID selection / Hybrid cell whose CSG ID is not in the Allowed CSG list nor Operator's list..... | 426 |
| 6.4.2 | Inter-frequency cell reselection / From E-UTRA RRC_IDLE non-CSG cell to E-UTRA RRC_IDLE member hybrid cell | 430 |
| 6.4.3 | Inter-RAT cell reselection / From E-UTRA RRC_IDLE non-CSG cell to UTRA_Idle member hybrid cell | 434 |
| 6.4.4 | Inter-RAT cell reselection / From E-UTRA RRC_IDLE non-member hybrid cell to UTRA_Idle member hybrid cell | 439 |
| 6.4.5 | Inter-RAT cell reselection / From UTRA_Idle to E-UTRA RRC_IDLE member hybrid cell..... | 446 |
| 6.4.6 | Inter-RAT cell reselection / From UTRA CELL_PCH to E-UTRA RRC_IDLE member hybrid cell | 452 |
| 6.4.7 | Inter-RAT cell reselection / From GSM_Idle/GPRS Packet_Idle to E-UTRA RRC_IDLE member hybrid cell | 458 |
| 7 | Layer 2 | 465 |
| 7.1 | MAC | 465 |
| 7.1.1 | Mapping between logical channels and transport channels..... | 465 |
| 7.1.1.1 | CCCH mapped to UL SCH/ DL-SCH / Reserved Logical Channel ID..... | 465 |
| 7.1.1.2 | DTCH or DCCH mapped to UL SCH/ DL-SCH / Reserved Logical Channel ID | 468 |
| 7.1.2 | RACH..... | 471 |
| 7.1.2.1 | Correct selection of RACH parameters / Random access preamble and PRACH resource explicitly signalled to the UE by RRC / Non-contention based random access procedure | 471 |
| 7.1.2.2 | Correct selection of RACH parameters / Random access preamble and PRACH resource explicitly signalled to the UE in PDCCH Order / Non-contention based random access procedure.. | 474 |
| 7.1.2.3 | Correct selection of RACH parameters / Preamble selected by MAC itself / Contention based random access procedure..... | 476 |
| 7.1.2.4 | Random access procedure / Successful | 481 |
| 7.1.2.5 | Random access procedure / MAC PDU containing multiple RARs..... | 487 |
| 7.1.2.6 | Maintenance of uplink time alignment | 490 |
| 7.1.2.7 | MAC contention resolution / Temporary C-RNTI | 494 |
| 7.1.2.8 | MAC contention resolution / C-RNTI..... | 497 |
| 7.1.2.9 | MAC back off indicator..... | 500 |
| 7.1.3 | DL-SCH data transfer | 504 |
| 7.1.3.1 | Correct handling of DL assignment / Dynamic case | 504 |
| 7.1.3.2 | Correct handling of DL assignment / Semi-persistent case | 505 |
| 7.1.3.3 | MAC PDU header handling | 514 |
| 7.1.3.4 | Correct HARQ process handling / DCCH and DTCH | 519 |
| 7.1.3.5 | Correct HARQ process handling / CCCH | 523 |
| 7.1.3.6 | Correct HARQ process handling / BCCH | 527 |
| 7.1.3.7 | MAC padding | 532 |
| 7.1.3.8 | Void | 534 |
| 7.1.3.9 | MAC reset / DL..... | 534 |
| 7.1.3.10 | 537 | |
| 7.1.3.11 | CA / Correct HARQ process handling / DCCH and DTCH / Pcell and Scell | 537 |
| 7.1.3.11.1 | CA / Correct HARQ process handling / DCCH and DTCH / Pcell and Scell / Intra-band Contiguous CA | 537 |
| 7.1.3.11.2 | CA / Correct HARQ process handling / DCCH and DTCH / Pcell and Scell / Inter-band CA | 542 |
| 7.1.4 | UL-SCH data transfer | 542 |
| 7.1.4.1 | Correct handling of UL assignment / Dynamic case | 542 |
| 7.1.4.2 | Correct handling of UL assignment / Semi-persistent case | 545 |
| 7.1.4.3 | Logical channel prioritization handling | 553 |
| 7.1.4.4 | Correct handling of MAC control information / Scheduling requests and PUCCH..... | 556 |
| 7.1.4.5 | Correct handling of MAC control information / Scheduling requests and random access procedure | 558 |
| 7.1.4.6 | Correct handling of MAC control information / Buffer status / UL data arrive in the UE Tx buffer and retransmission of BSR / Regular BSR | 563 |

| | | |
|--------------|---|-----|
| 7.1.4.7 | Correct handling of MAC control information / Buffer Status / UL resources are allocated / Padding BSR | 570 |
| 7.1.4.7a | Correct handling of MAC control information / Buffer Status / UL resources are allocated / Cancellation of Padding BSR | 575 |
| 7.1.4.8 | Correct handling of MAC control information / Buffer status / Periodic BSR timer expires | 581 |
| 7.1.4.9 | Void | 586 |
| 7.1.4.10 | MAC padding | 586 |
| 7.1.4.11 | Correct HARQ process handling | 589 |
| 7.1.4.12 | MAC reset / UL | 596 |
| 7.1.4.13 | MAC PDU header handling | 600 |
| 7.1.4.14 | Correct HARQ process handling / TTI bundling | 605 |
| 7.1.4.15 | UE power headroom reporting / Periodic reporting | 612 |
| 7.1.4.16 | UE power headroom reporting / DL pathloss change reporting | 615 |
| 7.1.4.17 | 619 | |
| 7.1.4.18 | CA / Correct handling of MAC control information / Buffer Status / UL data arrive in the UE Tx buffer / Extended buffer size | 619 |
| 7.1.4.18.1 | Test Purpose (TP) | 619 |
| 7.1.4.18.3 | Test description | 621 |
| 7.1.4.18.3.1 | Pre-test conditions | 621 |
| 7.1.4.18.3.2 | Definition of system information messages | 622 |
| 7.1.4.18.3.3 | Specific message contents | 622 |
| 7.1.4.19 | CA / UE power headroom reporting / SCell activation and DL pathloss change reporting / Extended PHR | 622 |
| 7.1.4.19.1 | CA / UE power headroom reporting / SCell activation and DL pathloss change reporting / Extended PHR / Intra-band Contiguous CA | 622 |
| 7.1.4.19.2 | CA / UE power headroom reporting / SCell activation and DL pathloss change reporting / Extended PHR / Inter-band CA | 628 |
| 7.1.4.20 | CA / Correct handling of MAC control information / Buffer status | 628 |
| 7.1.4.20.1 | CA / Correct handling of MAC control information / Buffer status / Intra-band Contiguous CA | 628 |
| 7.1.4.20.2 | CA / Correct handling of MAC control information / Buffer status / Inter-band CA | 633 |
| 7.1.4.21 | CA / UE power headroom reporting / Extended PHR | 634 |
| 7.1.4.22 | Correct HARQ process handling / UL MIMO | 638 |
| 7.1.5 | PUSCH Hopping | 645 |
| 7.1.5.1 | Inter-TTI PUSCH hopping by uplink grant | 645 |
| 7.1.5.2 | Predefined intra-TTI PUSCH hopping ($N_{sb}=1$) | 648 |
| 7.1.5.3 | Predefined intra-TTI PUSCH hopping ($N_{sb}=2/3/4$) | 652 |
| 7.1.5.4 | Predefined inter-TTI PUSCH hopping ($N_{sb}=1$) | 654 |
| 7.1.5.5 | Predefined inter-TTI PUSCH hopping ($N_{sb}=2/3/4$) | 655 |
| 7.1.6 | DRX operation | 656 |
| 7.1.6.1 | DRX operation / Short cycle not configured / Parameters configured by RRC | 656 |
| 7.1.6.2 | DRX Operation / Short cycle not configured / DRX command MAC control element reception | 663 |
| 7.1.7 | Transport block size selection | 668 |
| 7.1.7.0 | Specific configurations | 668 |
| 7.1.7.1 | DL-SCH transport block size selection | 669 |
| 7.1.7.1.1 | DL-SCH transport block size selection / DCI format 1 / RA type 0 | 669 |
| 7.1.7.1.2 | DL-SCH transport block size selection / DCI format 1 / RA type 1 | 682 |
| 7.1.7.1.3 | DL-SCH transport block size selection / DCI format 1A / RA type 2 / Localised VRB | 696 |
| 7.1.7.1.4 | DL-SCH transport block size selection / DCI format 1A / RA type 2 / Distributed VRB | 710 |
| 7.1.7.1.5 | DL-SCH transport block size selection / DCI format 2A / RA type 0 / Two transport blocks enabled / Transport block to codeword swap flag value set to '0' | 724 |
| 7.1.7.1.6 | DL-SCH Transport Block Size selection / DCI format 2A / RA type 1 / Two transport blocks enabled / Transport block to codeword swap flag value set to '1' | 740 |
| 7.1.7.2 | UL-SCH transport block size support | 755 |
| 7.1.7.2.1 | UL-SCH transport block size selection / DCI format 0 | 755 |
| 7.1.8 | Reporting of Rank Indicator (RI) | 768 |
| 7.1.8.1 | Periodic RI reporting using PUCCH / Category 1 UE / Transmission mode 3/4 | 768 |
| 7.1.9 | Activation/Deactivation of SCells | 772 |
| 7.1.9.1 | CA / Activation/Deactivation of SCells / Activation/Deactivation MAC control element reception / sCellDeactivationTimer | 772 |
| 7.1.9.1.1 | CA / Activation/Deactivation of SCells / Activation/Deactivation MAC control element reception / sCellDeactivationTimer / Intra-band Contiguous CA | 772 |

| | | |
|-----------|---|-----|
| 7.1.9.1.2 | CA / Activation/Deactivation of SCells / Activation/Deactivation MAC control element reception / sCellDeactivationTimer / Inter-band CA | 776 |
| 7.2 | RLC | 777 |
| 7.2.1 | General | 777 |
| 7.2.2 | Unacknowledged mode | 777 |
| 7.2.2.1 | UM RLC / Segmentation and reassembly / 5-bit SN / Framing info field..... | 777 |
| 7.2.2.2 | UM RLC / Segmentation and reassembly / 10-bit SN / Framing info field..... | 779 |
| 7.2.2.3 | UM RLC / Reassembly / 5-bit SN / LI value > PDU size | 781 |
| 7.2.2.4 | UM RLC / Reassembly / 10-bit SN / LI value > PDU size | 782 |
| 7.2.2.5 | UM RLC / Correct use of sequence numbering | 783 |
| 7.2.2.5.1 | UM RLC / 5-bit SN / Correct use of sequence numbering | 783 |
| 7.2.2.5.2 | UM RLC / 10-bit SN / Correct use of Sequence numbering..... | 787 |
| 7.2.2.6 | UM RLC / Concatenation, segmentation and reassembly | 790 |
| 7.2.2.7 | UM RLC / In sequence delivery of upper layer PDUs without residual loss of RLC PDUs / Maximum re-ordering delay below <i>t-Reordering</i> | 795 |
| 7.2.2.8 | UM RLC / In sequence delivery of upper layer PDUs without residual loss of RLC PDUs / Maximum re-ordering delay exceeds <i>t-Reordering</i> | 798 |
| 7.2.2.9 | UM RLC / In sequence delivery of upper layer PDUs with residual loss of RLC PDUs / Maximum re-ordering delay exceeds <i>t-Reordering</i> | 800 |
| 7.2.2.10 | UM RLC / Duplicate detection of RLC PDUs | 802 |
| 7.2.2.11 | UM RLC / RLC re-establishment procedure | 804 |
| 7.2.3 | Acknowledged mode..... | 807 |
| 7.2.3.1 | AM RLC / Concatenation and reassembly | 807 |
| 7.2.3.2 | AM RLC / Segmentation and reassembly / No PDU segmentation | 810 |
| 7.2.3.3 | AM RLC / Segmentation and reassembly / Framing info field | 812 |
| 7.2.3.4 | AM RLC / Segmentation and reassembly / Different numbers of length indicators | 814 |
| 7.2.3.5 | AM RLC / Reassembly / LI value > PDU size..... | 817 |
| 7.2.3.6 | AM RLC / Correct use of sequence numbering | 818 |
| 7.2.3.7 | AM RLC / Control of transmit window..... | 822 |
| 7.2.3.8 | AM RLC / Control of receive window | 825 |
| 7.2.3.9 | AM RLC / Polling for status..... | 826 |
| 7.2.3.10 | AM RLC / Receiver status triggers | 831 |
| 7.2.3.11 | Void | 836 |
| 7.2.3.12 | Void | 836 |
| 7.2.3.13 | AM RLC / Reconfiguration of RLC parameters by upper layers | 836 |
| 7.2.3.14 | AM RLC / In sequence delivery of upper layers PDUs..... | 842 |
| 7.2.3.15 | AM RLC / Re-ordering of RLC PDU segments | 845 |
| 7.2.3.16 | AM RLC / Re-transmission of RLC PDU without re-segmentation | 850 |
| 7.2.3.17 | AM RLC / Re-segmentation RLC PDU / SO, FI, LSF..... | 853 |
| 7.2.3.18 | AM RLC / Reassembly / AMD PDU reassembly from AMD PDU segments, Segmentation Offset and Last Segment Flag fields..... | 857 |
| 7.2.3.19 | Void | 862 |
| 7.2.3.20 | AM RLC / Duplicate detection of RLC PDUs | 862 |
| 7.2.3.21 | AM RLC / RLC re-establishment at RRC connection reconfiguration including <i>mobilityControlInfo</i> IE | 864 |
| 7.3 | PDCP | 866 |
| 7.3.1 | Maintenance of PDCP sequence numbers for radio bearers | 866 |
| 7.3.1.1 | Maintenance of PDCP sequence numbers / User plane / RLC AM..... | 866 |
| 7.3.1.2 | Maintenance of PDCP sequence numbers / User plane / RLC UM / Short PDCP SN (7 bits)..... | 869 |
| 7.3.1.3 | Maintenance of PDCP sequence numbers / User plane / RLC UM / Long PDCP SN (12 bits)..... | 871 |
| 7.3.2 | Void..... | 873 |
| 7.3.3 | PDCP ciphering and deciphering | 873 |
| 7.3.3.1 | Ciphering and deciphering / Correct functionality of EPS AS encryption algorithms / SNOW 3G... | 873 |
| 7.3.3.2 | Ciphering and deciphering / Correct functionality of EPS UP encryption algorithms / SNOW 3G... | 876 |
| 7.3.3.3 | Ciphering and deciphering / Correct functionality of EPS AS encryption algorithms / AES..... | 878 |
| 7.3.3.4 | Ciphering and deciphering / Correct functionality of EPS UP encryption algorithms / AES..... | 880 |
| 7.3.3.5 | Ciphering and deciphering / Correct functionality of EPS AS encryption algorithms / ZUC | 881 |
| 7.3.3.6 | Ciphering and deciphering / Correct functionality of EPS UP encryption algorithms / ZUC | 883 |
| 7.3.4 | PDCP integrity protection | 885 |
| 7.3.4.1 | Integrity protection / Correct functionality of EPS AS integrity algorithms / SNOW3G..... | 885 |
| 7.3.4.2 | Integrity protection / Correct functionality of EPS AS integrity algorithms / AES..... | 890 |
| 7.3.4.3 | Integrity protection / Correct functionality of EPS AS integrity algorithms / ZUC | 893 |

| | | |
|-----------|---|------|
| 7.3.5 | PDCP handover..... | 896 |
| 7.3.5.1 | Void..... | 896 |
| 7.3.5.2 | PDCP handover / Lossless handover / PDCP sequence number maintenance | 896 |
| 7.3.5.3 | PDCP handover / Non-lossless handover PDCP sequence number maintenance..... | 899 |
| 7.3.5.4 | PDCP handover / Lossless handover / PDCP status report to convey the information on missing or acknowledged PDCP SDUs at handover..... | 902 |
| 7.3.5.5 | PDCP handover / In-order delivery and duplicate elimination in the downlink..... | 906 |
| 7.3.6 | PDCP Others | 910 |
| 7.3.6.1 | PDCP Discard..... | 910 |
| 8 | RRC..... | 912 |
| 8.1 | RRC connection management procedures | 912 |
| 8.1.1 | Paging..... | 912 |
| 8.1.1.1 | RRC / Paging for connection in idle mode | 912 |
| 8.1.1.2 | RRC / Paging for notification of BCCH modification in idle mode..... | 915 |
| 8.1.1.3 | RRC / Paging for connection in idle mode / Multiple paging records..... | 919 |
| 8.1.1.4 | RRC / Paging for connection in idle mode / Shared network environment..... | 923 |
| 8.1.1.5 | Void..... | 927 |
| 8.1.1.6 | RRC / BCCH modification in connected mode..... | 927 |
| 8.1.2 | RRC connection establishment | 929 |
| 8.1.2.1 | RRC connection establishment / Ks=1.25/ Success | 929 |
| 8.1.2.2 | RRC connection establishment / Reject with wait time..... | 933 |
| 8.1.2.3 | RRC connection establishment / Return to idle state after T300 timeout..... | 937 |
| 8.1.2.4 | Void..... | 938 |
| 8.1.2.5 | RRC connection establishment / 0% access probability for MO calls, no restriction for MO signalling | 938 |
| 8.1.2.6 | RRC connection establishment / Non-zero percent access probability for MO calls, no restriction for MO signalling | 943 |
| 8.1.2.7 | RRC connection establishment / 0% access probability for AC 0 to 9, AC 10 is barred, AC 11 to 15 are not barred, access for UE with access class in the range 11 to 15 is allowed..... | 948 |
| 8.1.2.8 | RRC connection establishment / Range of access barring time..... | 952 |
| 8.1.2.9 | RRC Connection Establishment / 0% access probability for MO calls, non-zero percent access probability for MO signalling..... | 957 |
| 8.1.2.10 | Void..... | 963 |
| 8.1.2.11 | RRC connection establishment of emergency call | 963 |
| 8.1.2.12 | RRC connection establishment of emergency call / Limited Service..... | 965 |
| 8.1.2.13 | RRC connection establishment / 0% access probability for MO calls, 0% access probability for MO signalling..... | 968 |
| 8.1.2.14 | RRC connection establishment / High speed flag..... | 973 |
| 8.1.3 | RRC connection release | 974 |
| 8.1.3.1 | RRC connection release / Success | 974 |
| 8.1.3.2 | Void..... | 976 |
| 8.1.3.3 | Void..... | 976 |
| 8.1.3.4 | RRC connection release / Redirection to another E-UTRAN frequency..... | 976 |
| 8.1.3.5 | RRC connection release / Success / With priority information | 978 |
| 8.1.3.6 | RRC connection release / Redirection from E-UTRAN to UTRAN | 983 |
| 8.1.3.6a | RRC connection release / Redirection from E-UTRAN to UTRAN / Pre-redirection info..... | 986 |
| 8.1.3.7 | RRC connection release / Redirection from UTRAN to E-UTRAN | 989 |
| 8.1.3.8 | RRC connection release / Redirection from E-UTRAN to GERAN | 996 |
| 8.1.3.9 | RRC connection release / Redirection from E-UTRAN to CDMA2000-HRPD..... | 999 |
| 8.1.3.10 | RRC connection release / Redirection from E-UTRAN to CDMA2000-1xRTT | 1001 |
| 8.1.3.11 | RRC connection release / Redirection to another E-UTRAN band..... | 1003 |
| 8.1.3.11a | RRC connection release / Redirection to another E-UTRAN band / Between FDD and TDD | 1006 |
| 8.1.3.12 | RRC connection release / Success / With priority information / Inter-band..... | 1009 |
| 8.1.3.12a | RRC connection release / Success / With priority information / Inter- band / Between FDD and TDD..... | 1014 |
| 8.2 | RRC connection reconfiguration | 1019 |
| 8.2.1 | Radio bearer establishment | 1019 |
| 8.2.1.1 | RRC connection reconfiguration / Radio bearer establishment for transition from RRC_IDLE to RRC_CONNECTED / Success / Default bearer / Early bearer establishment | 1019 |
| 8.2.1.2 | Void..... | 1022 |
| 8.2.1.3 | RRC connection reconfiguration / Radio bearer establishment / Success / Dedicated bearer | 1022 |

| | | |
|------------|---|------|
| 8.2.1.4 | Void..... | 1024 |
| 8.2.1.5 | RRC connection reconfiguration / Radio bearer establishment for transition from RRC_Idle to RRC CONNECTED / Success / Latency check | 1024 |
| 8.2.1.6 | RRC connection reconfiguration / Radio bearer establishment for transition from RRC_Idle to RRC CONNECTED / Success / Latency check / SecurityModeCommand and RRCConnectionReconfiguration transmitted in the same TTI..... | 1029 |
| 8.2.1.7 | RRC connection reconfiguration / Radio bearer establishment / Success / SRB2..... | 1033 |
| 8.2.1.8 | RRC connection reconfiguration / Radio bearer establishment / Success / Dedicated bearer / ROHC configured..... | 1035 |
| 8.2.2 | Radio resource reconfiguration | 1039 |
| 8.2.2.1 | RRC connection reconfiguration / Radio resource reconfiguration / Success | 1039 |
| 8.2.2.2 | RRC connection reconfiguration / SRB/DRB reconfiguration / Success | 1042 |
| 8.2.2.3 | CA / RRC connection reconfiguration / SCell addition/modification/release / Success | 1045 |
| 8.2.2.3.1 | CA / RRC connection reconfiguration / SCell addition/modification/release / Success / Intra-band Contiguous CA..... | 1045 |
| 8.2.2.3.2 | CA / RRC connection reconfiguration / SCell addition/modification/release / Success / Inter-Band CA | 1055 |
| 8.2.2.4 | CA / RRC connection reconfiguration / SCell SI change / Success | 1055 |
| 8.2.2.4.1 | CA / RRC connection reconfiguration / SCell SI change / Success / Intra-band Contiguous CA..... | 1055 |
| 8.2.2.4.2 | CA / RRC connection reconfiguration / SCell SI change / Success / Inter-Band CA..... | 1060 |
| 8.2.2.5 | CA / RRC connection reconfiguration / SCell addition without UL / Success..... | 1061 |
| 8.2.2.5.1 | CA / RRC connection reconfiguration / SCell addition without UL / Success / Intra-band Contiguous CA | 1061 |
| 8.2.2.5.2 | CA / RRC connection reconfiguration / SCell addition without UL / Success / Inter-band CA | 1063 |
| 8.2.3 | Radio bearer release | 1063 |
| 8.2.3.1 | RRC connection reconfiguration / Radio bearer release / Success | 1063 |
| 8.2.4 | Handover | 1066 |
| 8.2.4.1 | RRC connection reconfiguration / Handover / Success / Dedicated preamble..... | 1066 |
| 8.2.4.2 | RRC connection reconfiguration / Handover / Success / Common preamble | 1075 |
| 8.2.4.3 | RRC connection reconfiguration / Handover / Success / Intra-cell / Security reconfiguration | 1079 |
| 8.2.4.4 | RRC connection reconfiguration / Handover / Failure / Intra-cell / Security reconfiguration..... | 1083 |
| 8.2.4.5 | RRC connection reconfiguration / Handover / All parameters included | 1088 |
| 8.2.4.6 | RRC connection reconfiguration / Handover / Success / Inter-frequency | 1094 |
| 8.2.4.7 | RRC connection reconfiguration / Handover / Failure / Re-establishment successful | 1098 |
| 8.2.4.8 | RRC connection reconfiguration / Handover / Failure / Re-establishment failure | 1112 |
| 8.2.4.9 | RRC connection reconfiguration / Handover / Inter-band blind handover / Success | 1119 |
| 8.2.4.10 | RRC connection reconfiguration / Handover (between FDD and TDD)..... | 1122 |
| 8.2.4.11 | Void..... | 1127 |
| 8.2.4.12 | RRC connection reconfiguration / Handover / Setup and release of MIMO..... | 1127 |
| 8.2.4.13 | RRC connection reconfiguration / Handover / Success (with measurement) / Inter-band | 1131 |
| 8.2.4.13a | RRC connection reconfiguration / Handover / Success (with measurement) / Inter-band / Between FDD and TDD | 1136 |
| 8.2.4.14 | RRC connection reconfiguration / Handover / Failure / Re-establishment successful / Inter-band | 1144 |
| 8.2.4.14a | RRC connection reconfiguration / Handover / Failure / Re-establishment successful / Inter-band / Between FDD and TDD | 1153 |
| 8.2.4.15 | RRC connection reconfiguration / Handover / Failure / Re-establishment failure / Inter-band | 1167 |
| 8.2.4.15a | RRC connection reconfiguration / Handover / Failure / Re-establishment failure / Inter-band / Between FDD and TDD | 1174 |
| 8.2.4.16 | Void..... | 1187 |
| 8.2.4.17 | CA / RRC connection reconfiguration / Handover / Success / PCell Change and SCell addition.... | 1187 |
| 8.2.4.17.1 | CA / RRC connection reconfiguration / Handover / Success / PCell Change and SCell addition / Intra-band Contiguous CA..... | 1187 |
| 8.2.4.17.2 | CA / RRC connection reconfiguration / Handover / Success / PCell Change and SCell addition / Inter-band CA | 1195 |
| 8.2.4.18 | CA / RRC connection reconfiguration / Handover / Success / SCell release | 1195 |
| 8.2.4.18.1 | CA / RRC connection reconfiguration / Handover / Success / SCell release / Intra-band Contiguous CA | 1195 |
| 8.2.4.18.2 | CA / RRC connection reconfiguration / Handover / Success / SCell release / Inter-band CA ... | 1202 |
| 8.2.4.19 | CA / RRC connection reconfiguration / Handover / Success / PCell Change / SCell no Change ... | 1202 |
| 8.2.4.19.1 | CA / RRC connection reconfiguration / Handover / Success / PCell Change / SCell no Change / Intra-band Contiguous CA..... | 1202 |

| | | |
|------------|--|------|
| 8.2.4.19.2 | CA / RRC connection reconfiguration / Handover / Success / PCell Change / SCell no Change / Inter-band CA | 1208 |
| 8.2.4.20 | CA / RRC connection reconfiguration / Handover / Success / SCell Change | 1209 |
| 8.2.4.20.1 | CA / RRC connection reconfiguration / Handover / Success / SCell Change / Intra-band Contiguous CA | 1209 |
| 8.2.4.20.2 | CA / RRC connection reconfiguration / Handover / Success / SCell Change / Inter-band CA .. | 1214 |
| 8.2.4.21 | CA / RRC connection reconfiguration / Handover / Success / SCell release | 1214 |
| 8.2.4.21.1 | CA / RRC connection reconfiguration / Handover / Success / SCell release / Intra-band Contiguous CA | 1214 |
| 8.2.4.21.2 | CA / RRC connection reconfiguration / Handover / Success / SCell release / Inter-band CA ... | 1221 |
| 8.3 | Measurement configuration control and reporting | 1222 |
| 8.3.1 | Intra E-UTRAN measurements | 1222 |
| 8.3.1.1 | Measurement configuration control and reporting / Intra E-UTRAN measurements / Event A1..... | 1222 |
| 8.3.1.2 | Measurement configuration control and reporting / Intra E-UTRAN measurements / Event A2..... | 1227 |
| 8.3.1.3 | Measurement configuration control and reporting / Intra E-UTRAN measurements / Two simultaneous events A3 (intra and inter-frequency measurements) | 1232 |
| 8.3.1.3a | Measurement configuration control and reporting / Intra E-UTRAN measurements / Two simultaneous events A3 (intra and inter-frequency measurements) / RSRQ based measurements .. | 1240 |
| 8.3.1.4 | Measurement configuration control and reporting / Intra E-UTRAN measurements / Periodic reporting (intra and inter-frequency measurements)..... | 1249 |
| 8.3.1.5 | Measurement configuration control and reporting / Intra E-UTRAN measurements / Two simultaneous event A3 (intra-frequency measurements)..... | 1259 |
| 8.3.1.6 | Measurement configuration control and reporting / Intra E-UTRAN measurements / Two simultaneous events A2 and A3 (inter-frequency measurements)..... | 1268 |
| 8.3.1.7 | Measurement configuration control and reporting / Intra E-UTRAN measurements / Blacklisting | 1275 |
| 8.3.1.8 | Measurement configuration control and reporting / Intra E-UTRAN measurements / Handover / IE measurement configuration present | 1284 |
| 8.3.1.9 | Measurement configuration control and reporting / Intra E-UTRAN measurements / Intra-frequency handover / IE measurement configuration not present | 1290 |
| 8.3.1.9a | Measurement configuration control and reporting / Intra Frequency measurements / Intra-frequency handover / IE measurement configuration not present / Single Frequency operation | 1297 |
| 8.3.1.10 | Measurement configuration control and reporting / Intra E-UTRAN measurements / Inter-frequency handover / IE measurement configuration not present | 1301 |
| 8.3.1.11 | Measurement configuration control and reporting / Intra E-UTRAN measurements / Continuation of the measurements after RRC connection re-establishment..... | 1308 |
| 8.3.1.11a | Measurement configuration control and reporting / Intra Frequency measurements / Continuation of the measurements after RRC connection re-establishment / Single Frequency operation | 1319 |
| 8.3.1.12 | Measurement configuration control and reporting / Intra E-UTRAN measurements / Two simultaneous events A3 (inter-band measurements) | 1327 |
| 8.3.1.12a | Measurement configuration control and reporting / Intra E-UTRAN measurements / Two simultaneous events A3 (inter-band measurements) / Between FDD and TDD..... | 1335 |
| 8.3.1.13 | Measurement configuration control and reporting / Intra E-UTRAN measurements / Periodic reporting (intra-frequency and inter-band measurements)..... | 1349 |
| 8.3.1.13a | Measurement configuration control and reporting / Intra E-UTRAN measurements / Periodic reporting (intra-frequency and inter-band measurements) / Between FDD and TDD..... | 1357 |
| 8.3.1.14 | Measurement configuration control and reporting / Intra E-UTRAN measurements / Two simultaneous events A2 and A3 (inter-band measurements)..... | 1372 |
| 8.3.1.14a | Measurement configuration control and reporting / Intra E-UTRAN measurements / Two simultaneous events A2 and A3 (inter-band measurements) / Between FDD and TDD | 1380 |
| 8.3.1.15 | Measurement configuration control and reporting / Intra E-UTRAN measurements / Inter-band handover / IE measurement configuration not present | 1392 |
| 8.3.1.15a | Measurement configuration control and reporting / Intra E-UTRAN measurements / Inter-band handover / IE measurement configuration not present / Between FDD and TDD | 1399 |
| 8.3.1.16 | Measurement configuration control and reporting / Intra E-UTRAN measurements / Continuation of the measurements after RRC connection re-establishment / Inter-band..... | 1408 |
| 8.3.1.16a | Measurement configuration control and reporting / Intra E-UTRAN measurements / Continuation of the measurements after RRC connection re-establishment / Inter-band / Between FDD and TDD | 1418 |
| 8.3.1.17 | CA / Measurement configuration control and reporting / Intra E-UTRAN measurements / Event A6..... | 1432 |
| 8.3.1.17.1 | CA / Measurement configuration control and reporting / Intra E-UTRAN measurements / Event A6 / Intra-band Contiguous CA..... | 1432 |

| | | |
|------------|--|------|
| 8.3.1.17.2 | CA / Measurement configuration control and reporting / Intra E-UTRAN measurements / Event A6 / Inter-band CA | 1443 |
| 8.3.1.18 | CA / Measurement configuration control and reporting / Intra E-UTRAN measurements / Additional measurement reporting | 1443 |
| 8.3.1.18.1 | CA / Measurement configuration control and reporting / Intra E-UTRAN measurements / Additional measurement reporting / Intra-band Contiguous CA | 1443 |
| 8.3.1.18.2 | CA / Measurement configuration control and reporting / Intra E-UTRAN measurements / Additional measurement reporting / Inter-band CA | 1454 |
| 8.3.1.19 | eICIC/ Measurement configuration control and reporting / CSI change | 1454 |
| 8.3.1.20 | eICIC / Measurement configuration control and reporting / Event A3 / RSRP and RSRQ measurement on ABS | 1460 |
| 8.3.1.21 | 1466 | |
| 8.3.1.22 | CA / Measurement configuration control and reporting / Intra E-UTRAN measurements / Event A1 / Event A2 | 1466 |
| 8.3.1.22.1 | CA / Measurement configuration control and reporting / Intra E-UTRAN measurements / Event A1 / Event A2 / Intra-band Contiguous CA | 1466 |
| 8.3.1.22.2 | CA / Measurement configuration control and reporting / Intra E-UTRAN measurements / Event A1 / Event A2 / Inter-band CA | 1473 |
| 8.3.1.23 | 1474 | |
| 8.3.1.24 | Measurement configuration control and reporting / Intra E-UTRAN measurements / Event A5.... | 1474 |
| 8.3.1.25 | Measurement configuration control and reporting / Intra E-UTRAN measurements / Event A5 / RSRQ based measurements | 1480 |
| 8.3.1.26 | Measurement configuration control and reporting / Intra E-UTRAN measurements / Event A5 (Inter-frequency measurements) | 1487 |
| 8.3.2 | Inter-RAT measurements | 1493 |
| 8.3.2.1 | Measurement configuration control and reporting / Inter-RAT measurements / Event B2 / Measurement of GERAN cells | 1493 |
| 8.3.2.2 | Measurement configuration control and reporting / Inter-RAT measurements / Periodic reporting / Measurement of GERAN cells | 1500 |
| 8.3.2.3 | Measurement configuration control and reporting / Inter-RAT measurements / Event B2 / Measurement of UTRAN cells | 1507 |
| 8.3.2.3a | Measurement configuration control and reporting / Inter-RAT measurements / Event B2 / Measurement of UTRAN cells / RSRQ based measurements | 1516 |
| 8.3.2.4 | Measurement configuration control and reporting / Inter-RAT measurements / Periodic reporting / Measurement of UTRAN cells | 1525 |
| 8.3.2.5 | Measurement configuration control and reporting / Inter-RAT measurements / Periodic reporting / Measurements of E-UTRAN, UTRAN and GERAN cells | 1535 |
| 8.3.2.6 | Measurement configuration control and reporting / Inter-RAT measurements / Simultaneous A2 and two B2 / Measurements of E-UTRAN, UTRAN and GERAN cells | 1545 |
| 8.3.2.7 | Measurement configuration control and reporting / Inter-RAT measurements / Event B2 (measurement HRPD cells) | 1553 |
| 8.3.2.8 | Measurement configuration control and reporting / Inter-RAT measurements / Periodic reporting / Measurement of HRPD cells) | 1560 |
| 8.3.2.9 | Measurement configuration control and reporting / Inter-RAT measurements / Event B2 / Measurement of 1xRTT cells) | 1568 |
| 8.3.2.10 | Measurement configuration control and reporting / Inter-RAT measurements / Periodic reporting / Measurement of 1xRTT cells | 1576 |
| 8.3.2.11 | Measurement configuration control and reporting / Inter-RAT Measurements / Event B1 / Measurement of UTRAN cells | 1586 |
| 8.3.3 | Measurements for self optimized networks | 1593 |
| 8.3.3.1 | Measurement configuration control and reporting / SON / ANR / CGI reporting of E-UTRAN cell | 1593 |
| 8.3.3.2 | Measurement configuration control and reporting / SON / ANR / CGI reporting of UTRAN cell.. | 1605 |
| 8.3.3.3 | Measurement configuration control and reporting / SON / ANR / CGI reporting of GERAN cell.. | 1617 |
| 8.3.3.4 | Measurement configuration control and reporting / SON / ANR / CGI reporting of HRPD cell.... | 1627 |
| 8.3.3.5 | Measurement configuration control and reporting / SON / ANR / CGI reporting of 1xRTT cell | 1639 |
| 8.3.4 | System Information reading on CSG, Hybrid and Open cells | 1651 |
| 8.3.4.1 | Intra-frequency SI acquisition / CSG cell and non-CSG cell | 1651 |
| 8.3.4.2 | Inter-frequency SI acquisition / Non-member hybrid cell | 1664 |
| 8.3.4.3 | Inter-frequency SI acquisition / Member hybrid cell | 1672 |
| 8.3.4.4 | Inter-RAT SI acquisition / RRC_CONNECTED / UMTS member CSG cell | 1680 |
| 8.4 | Inter-RAT handover | 1688 |

| | | |
|-----------|---|------|
| 8.4.1 | Inter-RAT handover E-UTRA to UTRA..... | 1688 |
| 8.4.1.1 | Void..... | 1688 |
| 8.4.1.2 | Inter-RAT handover / From E-UTRA to UTRA PS / Data | 1688 |
| 8.4.1.3 | Void..... | 1690 |
| 8.4.1.4 | Inter-RAT handover / From E-UTRA to UTRA HSDPA / Data..... | 1690 |
| 8.4.1.5 | Inter-RAT Handover / from E-UTRA to UTRA(HSUPA/HSDPA) / Data..... | 1693 |
| 8.4.2 | Inter-RAT handover UTRA to E-UTRA..... | 1696 |
| 8.4.2.1 | Void..... | 1696 |
| 8.4.2.2 | Inter-RAT handover / From UTRA PS to E-UTRA / Data | 1696 |
| 8.4.2.3 | Void..... | 1703 |
| 8.4.2.4 | Inter-RAT handover / From UTRA HSPA to E-UTRA / Data..... | 1703 |
| 8.4.2.5 | Void..... | 1709 |
| 8.4.2.6 | Void..... | 1709 |
| 8.4.2.7 | CA / RRC connection reconfiguration / Handover UTRAN to E-UTRAN/ Success / SCell addition..... | 1709 |
| 8.4.2.7.1 | CA / RRC connection reconfiguration / Handover UTRAN to E-UTRAN/ Success / SCell addition / Intra-band Contiguous CA..... | 1709 |
| 8.4.2.7.2 | CA / RRC connection reconfiguration / Handover UTRAN to E-UTRAN/ Success / SCell addition / Inter-band CA | 1717 |
| 8.4.3 | Inter-RAT mobility E-UTRA to GERAN..... | 1717 |
| 8.4.3.1 | Inter-RAT handover / From E-UTRA to GPRS / PS HO..... | 1717 |
| 8.4.3.2 | Inter-RAT cell change order / From E-UTRA data RRC_CONNECTED to GPRS / Without NACC..... | 1719 |
| 8.4.3.3 | Inter-RAT cell change order / From E-UTRA data to GPRS / With NACC | 1724 |
| 8.4.4 | Void..... | 1729 |
| 8.4.5 | Inter-RAT handover E-UTRA to HRPD..... | 1729 |
| 8.4.5.1 | Void..... | 1729 |
| 8.4.5.2 | Void..... | 1729 |
| 8.4.5.3 | Void..... | 1729 |
| 8.4.5.4 | Pre-registration at HRPD and inter-RAT handover / From E-UTRA to HRPD Active / Data..... | 1729 |
| 8.4.6 | Inter-RAT handover HRPD to E-UTRA..... | 1742 |
| 8.4.7 | Inter-RAT mobility E-UTRA to 1xRTT | 1742 |
| 8.4.7.1 | Inter-RAT handover / SRVCC from E-UTRA to 1xRTT(CS) / Speech | 1742 |
| 8.4.7.2 | Void..... | 1755 |
| 8.4.7.3 | Pre-registration at 1xRTT and inter-RAT Redirection / CS fallback from E-UTRA RRC_IDLE to 1xRTT / MT call..... | 1755 |
| 8.4.7.4 | Pre-registration at 1xRTT and inter-RAT Redirection / CS fallback from E-UTRA RRC_CONNECTED to 1xRTT / MO call | 1763 |
| 8.4.7.5 | Pre-registration at 1xRTT and inter-RAT Handover / Enhanced CS fallback from E-UTRA RRC_IDLE to 1xRTT/MT call..... | 1770 |
| 8.4.7.6 | Pre-registration at 1xRTT and inter-RAT handover / Enhanced CS fallback from E-UTRA RRC_CONNECTED to 1xRTT/MO call | 1782 |
| 8.4.7.7 | Pre-registration at 1xRTT and inter-RAT handover / Enhanced CS fallback from E-UTRA RRC_CONNECTED to e1XCSFB ECAM-based 1xRTT / MO call | 1793 |
| 8.4.7.8 | Pre-registration at 1xRTT and inter-RAT Handover / Enhanced CS fallback from E-UTRA RRC_CONNECTED to 1xRTT / ECAM-based MT call..... | 1806 |
| 8.4.7.9 | Pre-registration at 1xRTT and inter-RAT Handover / Enhanced CS fallback from E-UTRA RRC_CONNECTED to 1xRTT / Extended Service Reject / MO call | 1818 |
| 8.4.7.10 | Pre-registration at 1xRTT and inter-RAT Handover / Enhanced CS fallback from E-UTRA call failure – GCSNA with Release Order | 1825 |
| 8.5 | RRC others..... | 1834 |
| 8.5.1 | Radio link failure..... | 1834 |
| 8.5.1.1 | Radio link failure / RRC connection re-establishment success | 1834 |
| 8.5.1.2 | Radio link failure / T301 expiry | 1838 |
| 8.5.1.3 | Radio link failure / T311 expiry | 1841 |
| 8.5.1.4 | Radio link failure / RRC connection re-establishment reject | 1842 |
| 8.5.1.5 | Radio link failure / Radio link recovery while T310 is running | 1844 |
| 8.5.1.6 | Radio link failure / T311 expiry / Dedicated RLF timer | 1846 |
| 8.5.1.7 | CA / No Radio Link Failure on SCell / RRC Connection Continues on PCell | 1851 |
| 8.5.1.7.1 | CA / No Radio Link Failure on SCell / RRC Connection Continues on PCell / Intra-band Contiguous CA | 1851 |
| 8.5.1.7.2 | CA / No Radio Link Failure on SCell / RRC Connection Continues on PCell / Inter-band CA. | 1854 |

| | | |
|---------|---|------|
| 8.5.2 | Redirection to E-UTRAN..... | 1855 |
| 8.5.2.1 | Redirection to E-UTRAN / From UTRAN upon reception of RRC CONNECTION REJECT..... | 1855 |
| 8.5.3 | Void..... | 1858 |
| 8.5.4 | UE capability transfer | 1858 |
| 8.5.4.1 | UE capability transfer / Success | 1858 |
| 8.6 | Minimization of Drive Test Specific Procedures..... | 1874 |
| 8.6.1 | Immediate MDT..... | 1874 |
| 8.6.1.1 | Immediate MDT / Reporting / Location information | 1874 |
| 8.6.2 | Logged MDT..... | 1879 |
| 8.6.2.1 | Logged MDT / Intra-frequency measurement, logging and reporting..... | 1879 |
| 8.6.2.2 | Logged MDT / Inter-frequency measurement, logging and reporting..... | 1888 |
| 8.6.2.3 | Logged MDT / Logging and reporting / Limiting area scope..... | 1893 |
| 8.6.2.4 | Logged MDT / logging and reporting / Indication of logged measurements at E-UTRA handover | 1905 |
| 8.6.2.5 | Logged MDT / Logging and reporting / Indication of logged measurements at E-UTRA re- establishment..... | 1910 |
| 8.6.2.6 | Logged MDT / Release of logged MDT measurement configuration / Expire of duration timer.... | 1915 |
| 8.6.2.7 | Logged MDT / Release of logged MDT measurement configuration / Reception of new logged measurement configuration, Detach or UE power off | 1921 |
| 8.6.2.8 | Logged MDT / Maintaining logged measurement configuration / UE state transitions and mobility | 1928 |
| 8.6.2.9 | Logged MDT / Location information | 1937 |
| 8.6.3 | Inter-RAT Logged MDT..... | 1943 |
| 8.6.3.1 | Logged MDT / UTRAN Inter-RAT measurement, logging and reporting | 1943 |
| 8.6.3.2 | Logged MDT / GERAN Inter-RAT measurement, logging and reporting | 1952 |
| 8.6.3.3 | Logged MDT / CDMA2000 Inter-RAT measurement, logging and reporting | 1960 |
| 8.6.4 | Logged Radio Link Failure | 1966 |
| 8.6.4.1 | Radio Link Failure logging / Reporting of Intra-frequency measurements | 1966 |
| 8.6.4.2 | Radio Link Failure logging / Reporting of Inter-frequency measurements | 1974 |
| 8.6.4.3 | Radio Link Failure logging / Reporting at RRC connection establishment and reestablishment.... | 1982 |
| 8.6.4.4 | Radio Link Failure logging / Reporting at E-UTRA handover | 1991 |
| 8.6.4.5 | Radio Link Failure logging / Reporting of ECGI of the PCell | 2006 |
| 8.6.4.6 | Radio Link Failure logging / Reporting of RLF report availability / PLMN change | 2015 |
| 8.6.4.7 | Radio Link Failure logging / Location information..... | 2019 |
| 8.6.5 | Inter-RAT Logged Radio Link Failure | 2023 |
| 8.6.5.1 | Radio Link Failure logging / Reporting at UTRAN Inter-RAT handover..... | 2023 |
| 8.6.5.2 | Radio Link Failure logging / Reporting at GERAN Inter-RAT handover..... | 2035 |
| 8.6.5.3 | Radio Link Failure logging / Reporting CDMA2000 neighbour cell information | 2046 |
| 8.6.6 | Logged Handover Failure..... | 2055 |
| 8.6.6.1 | Handover Failure logging / Reporting of Intra-frequency measurements | 2055 |
| 8.6.6.2 | Handover Failure logging / Reporting of Inter-frequency measurements | 2063 |
| 8.6.6.3 | Handover Failure logging / Reporting of HOF report availability / PLMN change | 2071 |
| 8.6.6.4 | Handover Failure logging / Location information | 2078 |
| 8.6.7 | Inter-RAT Logged Handover Failure..... | 2082 |
| 8.6.7.1 | Handover Failure logging / Reporting of UTRAN Inter-RAT measurements..... | 2082 |
| 8.6.7.2 | Handover Failure logging / Reporting of GERAN Inter-RAT measurements..... | 2094 |
| 8.6.7.3 | Handover Failure logging / Reporting of CDMA2000 Inter-RAT measurements | 2106 |
| 8.7 | Automatic Neighbour Relation (ANR) for UTRAN | 2118 |
| 8.7.1 | Inter-RAT / UTRAN ANR measurement, logging and reporting / E-UTRAN cell..... | 2118 |
| 9 | EPS mobility management | 2124 |
| 9.1 | EMM common procedures | 2124 |
| 9.1.1 | Void..... | 2124 |
| 9.1.1.1 | Void | 2124 |
| 9.1.1.2 | Void | 2124 |
| 9.1.2 | Authentication procedure | 2124 |
| 9.1.2.1 | Authentication accepted | 2124 |
| 9.1.2.2 | Void | 2127 |
| 9.1.2.3 | Authentication not accepted by the network / GUTI used / Authentication reject and re- authentication | 2127 |
| 9.1.2.4 | Authentication not accepted by the UE / MAC code failure | 2129 |
| 9.1.2.5 | Authentication not accepted by the UE / SQN failure | 2132 |
| 9.1.2.6 | Abnormal cases / Network failing the authentication check..... | 2135 |

| | | |
|-------------|--|------|
| 9.1.3 | Security mode control procedure | 2137 |
| 9.1.3.1 | NAS security mode command accepted by the UE | 2137 |
| 9.1.3.2 | NAS security mode command not accepted by the UE | 2141 |
| 9.1.3.3 | No emergency bearer service / NAS security mode command with EIA0 not accepted by the UE | 2144 |
| 9.1.4 | Identification procedure | 2148 |
| 9.1.4.1 | Void | 2148 |
| 9.1.4.2 | Identification procedure / IMEI requested | 2148 |
| 9.1.5 | EMM information procedure | 2149 |
| 9.1.5.1 | EMM information procedure | 2149 |
| 9.1.5.2 | EMM information procedure not supported by the UE | 2151 |
| 9.2 | EMM specific procedures | 2152 |
| 9.2.1 | Attach procedure | 2152 |
| 9.2.1.1 | Attach procedure for EPS services | 2152 |
| 9.2.1.1.0 | General | 2152 |
| 9.2.1.1.1 | Attach / Success / Valid GUTI | 2152 |
| 9.2.1.1.1a | Attach Procedure / Success / Last visited TAI, TAI list and equivalent PLMN list handling | 2160 |
| 9.2.1.1.1b | Attach Procedure / Success / Last visited TAI, TAI list and equivalent PLMN list handling / Single Frequency operation | 2168 |
| 9.2.1.1.2 | Attach Procedure / Success / With IMSI / GUTI reallocation | 2169 |
| 9.2.1.1.3 | Attach Procedure / Success / Request for obtaining the IPv6 address of the home agent | 2172 |
| 9.2.1.1.4 | Attach Procedure / Success / Request for obtaining the IPv4 address of the home agent | 2177 |
| 9.2.1.1.5 | Void | 2182 |
| 9.2.1.1.6 | Void | 2182 |
| 9.2.1.1.7 | Attach Procedure / Success / List of equivalent PLMNs in the ATTACH ACCEPT message | 2182 |
| 9.2.1.1.7a | Attach Procedure / Success / List of equivalent PLMNs in the ATTACH ACCEPT message / Single Frequency operation | 2186 |
| 9.2.1.1.8 | Void | 2190 |
| 9.2.1.1.9 | Attach / Rejected / IMSI invalid | 2190 |
| 9.2.1.1.10 | Attach / Rejected / Illegal ME | 2193 |
| 9.2.1.1.11 | Attach / Rejected / EPS services and non-EPS services not allowed | 2194 |
| 9.2.1.1.12 | Attach / Rejected / EPS services not allowed | 2200 |
| 9.2.1.1.13 | Attach / Rejected / PLMN not allowed | 2204 |
| 9.2.1.1.13a | Attach / Rejected / PLMN not allowed / Single Frequency operation | 2207 |
| 9.2.1.1.14 | Attach / Rejected / Tracking area not allowed | 2210 |
| 9.2.1.1.15 | Attach / Rejected / Roaming not allowed in this tracking area | 2215 |
| 9.2.1.1.15a | Attach / Rejected / Roaming not allowed in this tracking area / Single Frequency operation | 2219 |
| 9.2.1.1.16 | Attach / Rejected / EPS services not allowed in this PLMN | 2222 |
| 9.2.1.1.16a | Attach / Rejected / EPS services not allowed in this PLMN / Single Frequency operation | 2227 |
| 9.2.1.1.17 | Attach / Rejected / No suitable cells in tracking area | 2229 |
| 9.2.1.1.18 | Attach / Rejected / Not authorized for this CSG | 2234 |
| 9.2.1.1.19 | Attach / Abnormal case / Failure due to non integrity protection | 2237 |
| 9.2.1.1.20 | Attach / Abnormal case / Access barred because of access class barring or NAS signalling connection establishment rejected by the network | 2242 |
| 9.2.1.1.21 | Attach / Abnormal case / Success after several attempts due to no network response | 2247 |
| 9.2.1.1.22 | Attach / Abnormal case / Unsuccessful attach after 5 attempts | 2249 |
| 9.2.1.1.23 | Attach / Abnormal case / Repeated rejects for network failures | 2252 |
| 9.2.1.1.24 | Attach / Abnormal case / Change of cell into a new tracking area | 2256 |
| 9.2.1.1.25 | Attach / Abnormal case / Mobile originated detach required | 2260 |
| 9.2.1.1.26 | Attach / Abnormal case / Detach procedure collision | 2261 |
| 9.2.1.1.27 | Attach / Abnormal case / Network reject with Extended Wait Timer | 2264 |
| 9.2.1.2 | Combined attach procedure for EPS services and non-EPS services | 2267 |
| 9.2.1.2.1 | Combined attach procedure / Success / EPS and non-EPS services | 2267 |
| 9.2.1.2.1b | Combined attach procedure / Success / SMS only | 2272 |
| 9.2.1.2.1c | Combined attach procedure / Success / EPS and CS Fallback not preferred | 2280 |
| 9.2.1.2.1d | Combined attach procedure / Success / EPS and CS Fallback not preferred/data centric UE | 2287 |
| 9.2.1.2.2 | Combined attach procedure / Success / EPS services only / IMSI unknown in HSS | 2292 |
| 9.2.1.2.3 | Successful combined attach procedure / EPS service only / MSC temporarily not reachable | 2299 |
| 9.2.1.2.4 | Successful combined attach procedure / EPS service only / CS domain not available | 2308 |
| 9.2.1.2.5 | Combined attach / Rejected / IMSI invalid | 2315 |
| 9.2.1.2.6 | Combined attach / Rejected / Illegal ME | 2319 |
| 9.2.1.2.7 | Combined attach / Rejected / EPS services and non-EPS services not allowed | 2320 |
| 9.2.1.2.8 | Combined attach / Rejected / EPS services not allowed | 2321 |

| | | |
|-------------------------|--|------|
| 9.2.1.2.9 | Combined attach / Rejected / PLMN not allowed..... | 2324 |
| 9.2.1.2.10 | Combined attach / Rejected / Tracking area not allowed..... | 2328 |
| 9.2.1.2.11 | Combined attach / Rejected / Roaming not allowed in this tracking area..... | 2331 |
| 9.2.1.2.12 | Combined attach / Rejected / EPS services not allowed in this PLMN | 2338 |
| 9.2.1.2.13 | Combined attach / Rejected / No suitable cells in tracking area | 2342 |
| 9.2.1.2.14 | Combined attach / Rejected / Not authorized for this CSG | 2349 |
| 9.2.1.2.15 | Combined attach / Abnormal case / Handling of the EPS attach attempt counter | 2352 |
| 9.2.2 | Detach procedure | 2357 |
| 9.2.2.1 | UE initiated detach procedure | 2357 |
| 9.2.2.1.1 | UE initiated detach / UE switched off..... | 2357 |
| 9.2.2.1.2 | UE initiated detach / USIM removed from the UE..... | 2359 |
| 9.2.2.1.3 | UE initiated detach / EPS capability of the UE is disabled..... | 2361 |
| 9.2.2.1.4 | UE initiated detach / detach for non-EPS services..... | 2364 |
| 9.2.2.1.5 | Void | 2366 |
| 9.2.2.1.6 | UE initiated detach / Abnormal case / Local detach after 5 attempts due to no network response | 2366 |
| 9.2.2.1.7 | UE initiated detach / Abnormal case / Detach procedure collision..... | 2369 |
| 9.2.2.1.8 | UE initiated detach / Abnormal case / Detach and EMM common procedure collision..... | 2371 |
| 9.2.2.1.9 | UE initiated detach / Abnormal case / Change of cell into a new tracking area | 2374 |
| 9.2.2.1.10 | UE initiated detach / Mapped security context | 2377 |
| 9.2.2.2 | Network initiated detach procedure..... | 2380 |
| 9.2.2.2.1 | NW initiated detach / Re-attach required..... | 2380 |
| 9.2.2.2.2 | NW initiated detach / IMSI detach..... | 2382 |
| 9.2.2.2.3 to 9.2.2.2.13 | Void | 2385 |
| 9.2.2.2.14 | NW initiated detach / Abnormal case / EMM cause not included | 2385 |
| 9.2.3 | Tracking area updating procedure (S1 mode only) | 2387 |
| 9.2.3.1 | Normal and periodic tracking area updating..... | 2387 |
| 9.2.3.1.1 | Normal tracking area update / Accepted..... | 2387 |
| 9.2.3.1.2 | Void | 2390 |
| 9.2.3.1.3 | Void | 2390 |
| 9.2.3.1.4 | Normal tracking area update / List of equivalent PLMNs in the TRACKING AREA UPDATE ACCEPT message..... | 2390 |
| 9.2.3.1.5 | Periodic tracking area update / Accepted..... | 2393 |
| 9.2.3.1.6 | Normal tracking area update / UE with ISR active moves to E-UTRAN | 2398 |
| 9.2.3.1.7 | Void | 2406 |
| 9.2.3.1.8 | UE receives an indication that the RRC connection was released with cause "load balancing TAU required" | 2406 |
| 9.2.3.1.9 | Normal tracking area update / Correct handling of CSG list..... | 2407 |
| 9.2.3.1.9a | Normal tracking area update / NAS signalling connection recovery | 2412 |
| 9.2.3.1.10 | Normal tracking area update / Rejected / IMSI invalid..... | 2414 |
| 9.2.3.1.11 | Normal tracking area update / Rejected / Illegal ME..... | 2417 |
| 9.2.3.1.12 | Normal tracking area update / Rejected / EPS service not allowed | 2418 |
| 9.2.3.1.13 | Normal tracking area update / Rejected / UE identity cannot be derived by the network..... | 2419 |
| 9.2.3.1.14 | Normal tracking area update / Rejected / UE implicitly detached | 2422 |
| 9.2.3.1.15 | Normal tracking area update / Rejected / PLMN not allowed | 2423 |
| 9.2.3.1.15a | Normal tracking area update / Rejected / PLMN not allowed / Single Frequency operation | 2428 |
| 9.2.3.1.16 | Normal tracking area update / Rejected / Tracking area not allowed | 2432 |
| 9.2.3.1.17 | Normal tracking area update / Rejected / Roaming not allowed in this tracking area | 2436 |
| 9.2.3.1.18 | Normal tracking area update / Rejected / EPS services not allowed in this PLMN | 2440 |
| 9.2.3.1.18a | Normal tracking area update / Rejected / EPS services not allowed in this PLMN / Single Frequency operation..... | 2445 |
| 9.2.3.1.19 | Normal tracking area update / Rejected / No suitable cells in tracking Area..... | 2448 |
| 9.2.3.1.20 | Normal tracking area update / Rejected / Not authorized for this CSG | 2449 |
| 9.2.3.1.21 | Void | 2452 |
| 9.2.3.1.22 | Normal tracking area update / Abnormal case / access barred due to access class control or NAS signalling connection establishment rejected by the network | 2452 |
| 9.2.3.1.23 | Normal tracking area update / Abnormal case / Success after several attempts due to no network response / TA belongs to TAI list and status is UPDATED / TA does not belong to TAI list or status is not UPDATED | 2457 |
| 9.2.3.1.24 | Void | 2463 |
| 9.2.3.1.25 | Normal tracking area update / Abnormal case / Failure after 5 attempts due to no network response | 2463 |

| | | |
|---------------------|---|------|
| 9.2.3.1.26 | Normal tracking area update / Abnormal case / TRACKING AREA UPDATE REJECT | 2469 |
| 9.2.3.1.27 | Normal tracking area update / Abnormal case / Change of cell into a new tracking area..... | 2473 |
| 9.2.3.1.28 | Normal tracking area update / Abnormal case / Tracking area updating and detach procedure collision..... | 2476 |
| 9.2.3.2 | Combined tracking area updating | 2478 |
| 9.2.3.2.1 | Combined tracking area update / Successful..... | 2478 |
| 9.2.3.2.1a | Combined tracking area update / Successful / Check of last visited TAI and handling of TAI list, LAI and TMSI..... | 2483 |
| 9.2.3.2.1b | Combined tracking area update / Success / SMS only..... | 2493 |
| 9.2.3.2.1c | Combined tracking area update / Success / CS Fallback not preferred..... | 2500 |
| 9.2.3.2.2 | Combined tracking area update / Successful for EPS services only / IMSI unknown in HSS.... | 2503 |
| 9.2.3.2.3 | Combined tracking area update / Successful for EPS services only / MSC temporarily not reachable | 2507 |
| 9.2.3.2.4 | Combined tracking area update / Successful for EPS services only / CS domain not available . | 2514 |
| 9.2.3.2.5 | Combined tracking area update / Rejected / IMSI invalid | 2516 |
| 9.2.3.2.6 | Combined tracking area update / Rejected / Illegal ME | 2519 |
| 9.2.3.2.7 | Combined tracking area update / Rejected / EPS services and non-EPS services not allowed... | 2520 |
| 9.2.3.2.8 | Combined tracking area update / Rejected / EPS services not allowed | 2520 |
| 9.2.3.2.9 | Combined tracking area update / Rejected / UE identity cannot be derived by the network | 2524 |
| 9.2.3.2.10 | Combined tracking area update / Rejected / UE implicitly detached..... | 2529 |
| 9.2.3.2.11 | Combined tracking area update / Rejected / PLMN not allowed | 2531 |
| 9.2.3.2.12 | Combined tracking area update / Rejected / Tracking area not allowed | 2536 |
| 9.2.3.2.13 | Combined tracking area update / Rejected / Roaming not allowed in this tracking area | 2540 |
| 9.2.3.2.14 | Combined tracking area update / Rejected / EPS services not allowed in the PLMN | 2544 |
| 9.2.3.2.15 | Combined tracking area update / Rejected / No suitable cells in tracking area | 2548 |
| 9.2.3.2.16 | Combined tracking area update / Rejected / Not authorized for this CSG | 2550 |
| 9.2.3.2.17 | Combined tracking area update / Abnormal case / handling of the EPS tracking area updating attempt counter | 2553 |
| 9.2.3.3 | Iu mode to S1 mode inter-system change in idle mode | 2557 |
| 9.2.3.3.1 | First Iu mode to S1 mode inter-system change after attach | 2557 |
| 9.2.3.3.2 | Iu mode to S1 mode intersystem change / ISR is active / Expiry of T3312 in E-UTRAN or T3412 in UTRAN and further intersystem change | 2568 |
| 9.2.3.3.3 | Iu mode to S1 mode intersystem change / Periodic TAU and RAU/ ISR activated, T3423 expired | 2577 |
| 9.2.3.3.4 | First S1 mode to Iu mode inter-system change after attach | 2583 |
| 9.2.3.3.5 | Periodic routing area update | 2599 |
| 9.2.3.3.5a | Periodic Location Update | 2607 |
| 9.2.3.3.6 | E-UTRAN RRC connection failure / Reselection of UTRAN cell / NAS signalling to release old S1 interface connection..... | 2611 |
| 9.2.3.4 | A/Gb mode to S1 mode inter-system change | 2613 |
| 9.2.3.4.1 | TAU/RAU procedure for inter-system cell reselection between A/Gb and S1 modes | 2613 |
| 9.3 | EMM connection management procedures (S1 mode only) | 2625 |
| 9.3.1 | Service request procedure | 2625 |
| 9.3.1.1 | Service request initiated by UE for user data | 2625 |
| 9.3.1.2 | Void | 2628 |
| 9.3.1.3 | Service request / Mobile originating CS fallback..... | 2628 |
| 9.3.1.4 | Service request / Rejected / IMSI invalid | 2631 |
| 9.3.1.5 | Service request / Rejected / Illegal ME | 2637 |
| 9.3.1.6 | Service request / Rejected / EPS services not allowed | 2639 |
| 9.3.1.7 | Service request / Rejected / UE identity cannot be derived by the network | 2644 |
| 9.3.1.7a | Service request / Rejected / UE implicitly detached..... | 2646 |
| 9.3.1.8 to 9.3.1.12 | Void | 2648 |
| 9.3.1.12a | Extended service request / Rejected / CS domain temporarily not available..... | 2648 |
| 9.3.1.13 | Void | 2650 |
| 9.3.1.14 | Void | 2650 |
| 9.3.1.15 | Void | 2650 |
| 9.3.1.16 | Service request / Abnormal case / Switch off..... | 2650 |
| 9.3.1.17 | Service request / Abnormal case / Procedure collision..... | 2651 |
| 9.3.1.18 | Service Request / Rejected / Not authorized for this CSG | 2654 |
| 9.3.2 | Paging procedure..... | 2657 |
| 9.3.2.1 | Paging procedure | 2657 |
| 9.3.2.2 | Paging for CS fallback / Idle mode..... | 2658 |

| | | |
|----------|---|------|
| 9.3.2.2a | Paging for CS fallback / Connected mode..... | 2661 |
| 9.4 | NAS Security | 2664 |
| 9.4.1 | Integrity protection / Correct functionality of EPS NAS integrity algorithm / SNOW3G | 2664 |
| 9.4.2 | Integrity protection / Correct functionality of EPS NAS integrity algorithm / AES | 2667 |
| 9.4.3 | Ciphering and deciphering / Correct functionality of EPS NAS encryption algorithm / SNOW3G | 2667 |
| 9.4.4 | Ciphering and deciphering / Correct functionality of EPS NAS encryption algorithm / AES | 2671 |
| 9.4.5 | Integrity protection / Correct functionality of EPS NAS integrity algorithm / ZUC..... | 2671 |
| 9.4.6 | Ciphering and deciphering / Correct functionality of EPS NAS encryption algorithm / ZUC..... | 2672 |
| 10 | EPS session management | 2673 |
| 10.1 | Void | 2673 |
| 10.2 | Dedicated EPS bearer context activation | 2673 |
| 10.2.1 | Dedicated EPS bearer context activation / Success | 2673 |
| 10.3 | EPS bearer context modification | 2675 |
| 10.3.1 | EPS bearer context modification / Success | 2675 |
| 10.4 | EPS bearer context deactivation | 2679 |
| 10.4.1 | EPS bearer context deactivation / Success | 2679 |
| 10.5 | UE requested PDN connectivity | 2692 |
| 10.5.1 | UE requested PDN connectivity accepted by the network..... | 2692 |
| 10.5.2 | Void..... | 2699 |
| 10.5.3 | UE requested PDN connectivity not accepted..... | 2699 |
| 10.5.4 | UE requested PDN connectivity not accepted / Network reject with Extended Wait Timer | 2704 |
| 10.6 | UE requested PDN disconnect..... | 2708 |
| 10.6.1 | UE requested PDN disconnect procedure accepted by the network..... | 2708 |
| 10.6.2 | Void..... | 2711 |
| 10.7 | UE requested bearer resource allocation..... | 2711 |
| 10.7.1 | UE requested bearer resource allocation accepted by the network / New EPS bearer context | 2711 |
| 10.7.2 | UE requested bearer resource allocation accepted by the network / Existing EPS bearer context..... | 2713 |
| 10.7.3 | UE requested bearer resource allocation not accepted by the network | 2715 |
| 10.7.4 | UE requested bearer resource allocation / Expiry of timer T3480 | 2718 |
| 10.7.5 | UE requested bearer resource allocation / BEARER RESOURCE ALLOCATION REJECT message including cause #43 "invalid EPS bearer identity" | 2720 |
| 10.8 | UE requested bearer resource modification | 2723 |
| 10.8.1 | UE requested bearer resource modification accepted by the network / New EPS bearer context..... | 2723 |
| 10.8.2 | UE requested bearer resource modification accepted by the network / Existing EPS bearer context ... | 2725 |
| 10.8.3 | UE requested bearer resource modification not accepted by the network | 2727 |
| 10.8.4 | UE requested bearer resource modification / Cause #36 "regular deactivation" | 2730 |
| 10.8.5 | UE requested bearer resource modification / BEARER RESOURCE MODIFICATION REJECT message including cause #43 "invalid EPS bearer identity" | 2733 |
| 10.8.6 | UE requested bearer resource modification / Collision of a UE requested bearer resource modification procedure and EPS bearer context deactivation procedure | 2736 |
| 10.8.7 | UE requested bearer resource modification / Expiry of timer T3481..... | 2738 |
| 10.9 | UE routing of uplink packets | 2741 |
| 10.9.1 | UE routing of uplinks packets | 2741 |
| 11 | General tests | 2685 |
| 11.1 | SMS over SGs..... | 2685 |
| 11.1.1 | MT-SMS over SGs / Idle mode..... | 2685 |
| 11.1.2 | MT-SMS over SGs / Active mode | 2687 |
| 11.1.3 | MO-SMS over SGs / Idle mode | 2690 |
| 11.1.4 | MO-SMS over SGs / Active mode..... | 2693 |
| 11.1.5 | Multiple MO-SMS over SGs / Idle mode | 2696 |
| 11.1.6 | Multiple MO-SMS over SGs / Active mode | 2701 |
| 11.2 | Emergency calls over IMS..... | 2705 |
| 11.2.1 | Emergency bearer services / Normal cell / NORMAL-SERVICE / Local Emergency Numbers List sent in the Attach / PDN connect new emergency EPS bearer context / Service request / Emergency PDN disconnect..... | 2705 |
| 11.2.2 | Emergency bearer services / Normal cell / LIMITED-SERVICE / Attach / PDN connect..... | 2710 |
| 11.2.3 | Emergency bearer services / CSG cell / LIMITED-SERVICE / Attach / Security mode control procedure without prior authentication / PDN connect / Service request / PDN disconnect / Detach upon UE switched off / Temporary storage of EMM information..... | 2712 |

| | | |
|---------|---|------|
| 11.2.4 | Emergency bearer services / Normal cell / NO-IMSI / Attach / No EPS security context / PDN connect / Service request / Timer T3412 expires | 2718 |
| 11.2.5 | Emergency bearer services / Normal cell / NORMAL-SERVICE / Local Emergency Numbers List NOT sent in the Attach / PDN connect new emergency EPS bearer context / Authentication SQN code failure - MME aborts authentication continues using current security context / Service request .. | 2723 |
| 11.2.6 | Handling of Local Emergency Numbers List provided during Attach and Normal tracking area update procedures..... | 2727 |
| 11.2.7 | UE has PDN connection for emergency bearer services / Normal tracking area update / Accepted / Local Emergency Numbers List is not sent by the network / Handling of the lists of forbidden tracking areas | 2733 |
| 11.2.8 | Attach for emergency bearer services / Rejected / No suitable cells in tracking area / Emergency call using the CS domain | 2740 |
| 11.2.9 | Void..... | 2744 |
| 11.2.10 | LIMITED-SERVICE / EPS does not support IMS Emergency / Emergency call using the CS domain..... | 2744 |
| 11.2.11 | LIMITED-SERVICE / Inter-system mobility / E-UTRA to UTRA CS / SRVCC Emergency Call Handover to UTRAN | 2747 |
| 12 | E-UTRA radio bearer tests | 2757 |
| 12.1 | General..... | 2757 |
| 12.1.0 | Definition of radio bearer combinations | 2757 |
| 12.1.1 | Generic E-UTRA radio bearer test procedure / MIMO not configured | 2757 |
| 12.1.2 | Generic E-UTRA radio bearer test procedure / MIMO configured | 2759 |
| 12.2 | MIMO not configured..... | 2760 |
| 12.2.1 | Data transfer of E-UTRA radio bearer combinations 1,3,6 and 9 | 2760 |
| 12.2.2 | Data transfer of E-UTRA radio bearer combinations 2,4,7 and 10 | 2761 |
| 12.2.3 | Data transfer of E-UTRA radio bearer combinations 5,8,11 and 12 | 2762 |
| 12.2.4 | Data transfer of E-UTRA radio bearer combination 13 | 2763 |
| 12.3 | MIMO configured..... | 2764 |
| 12.3.1 | Data transfer of E-UTRA radio bearer combinations 1,3,6 and 9 / MIMO..... | 2764 |
| 12.3.2 | Data transfer of E-UTRA radio bearer combinations 2,4,7 and 10 / MIMO..... | 2765 |
| 12.3.3 | Data transfer of E-UTRA radio bearer combinations 5,8,11 and 12 / MIMO..... | 2766 |
| 12.3.4 | Data transfer of E-UTRA radio bearer combination 13 / MIMO..... | 2767 |
| 13 | Multi layer Procedures | 2768 |
| 13.1 | Call setup | 2768 |
| 13.1.1 | Activation and deactivation of additional data radio bearer in E-UTRA | 2768 |
| 13.1.2 | Call setup from E-UTRAN RRC_IDLE / CS fallback to UTRAN with redirection / MO call..... | 2772 |
| 13.1.2a | Call setup from E-UTRAN RRC_IDLE / CS fallback to UTRAN with redirection including System Information / MO call | 2775 |
| 13.1.3 | Call setup from E-UTRAN RRC_CONNECTED / CS fallback to UTRAN with Redirection / MT call..... | 2782 |
| 13.1.4 | Call setup from E-UTRAN RRC_IDLE / CS fallback to UTRAN with Handover / MT call..... | 2791 |
| 13.1.5 | Call setup from E-UTRAN RRC_CONNECTED / CS fallback to UTRAN with handover / MO call .. | 2801 |
| 13.1.6 | Void..... | 2804 |
| 13.1.7 | Call setup from E-UTRA RRC_IDLE / CS fallback to GSM with redirection / MT call | 2804 |
| 13.1.8 | Call setup from E-UTRA RRC_CONNECTED/ CS fallback to GSM with Redirection / MO call | 2815 |
| 13.1.9 | Call setup from E-UTRA RRC_IDLE / CS fallback to GSM with CCO without NACC / MO call | 2821 |
| 13.1.10 | Call setup from E-UTRA RRC_CONNECTED / CS fallback to GSM with CCO without NACC / MT call..... | 2825 |
| 13.1.11 | Call setup from E-UTRA RRC_IDLE / CS fallback to GSM with PSHO / EDTM not supported / MT call..... | 2832 |
| 13.1.12 | Call setup from E-UTRA RRC_CONNECTED / CS fallback to GSM with PSHO / EDTM not supported / MO call..... | 2842 |
| 13.1.13 | Call setup from E-UTRA RRC_IDLE / CS fallback to GSM with PSHO / EDTM supported / MT call..... | 2848 |
| 13.1.14 | 2859 | |
| 13.1.15 | Call setup from E-UTRAN RRC_IDLE / CS fallback to UTRAN with redirection / MT call / UTRAN cell is barred | 2859 |
| 13.1.16 | Emergency call setup from E-UTRAN RRC_IDLE / CS fallback to UTRAN with handover | 2863 |
| 13.1.17 | Call setup from E-UTRAN RRC_IDLE / mobile originating 1xCS fallback emergency call to 1xRTT | 2867 |

| | | |
|-----------|--|------|
| 13.1.18 | Call setup from E-UTRAN RRC_IDLE / mobile originating enhanced 1xCS fallback emergency call to 1xRTT..... | 2872 |
| 13.2 | RRC connection reconfiguration | 2884 |
| 13.2.1 | RRC connection reconfiguration / E-UTRA to E-UTRA | 2884 |
| 13.3 | Connection re-establishment..... | 2888 |
| 13.3.1 | Intra-system connection re-establishment | 2888 |
| 13.3.1.1 | Intra-system connection re-establishment / Radio link recovery while T310 is running..... | 2888 |
| 13.3.1.2 | Intra-system connection re-establishment / Re-establishment of a new connection when further data is to be transferred..... | 2890 |
| 13.3.1.3 | RRC connection reconfiguration / Full configuration / DRB establishment | 2892 |
| 13.3.2 | Inter-system connection re-establishment | 2897 |
| 13.3.2.1 | Inter-system connection re-establishment / E-UTRAN to UTRAN / Further data are to be transferred..... | 2897 |
| 13.3.2.2 | Inter-system connection re-establishment / E-UTRAN to GPRS / Further data are to be transferred..... | 2900 |
| 13.4 | Mobility | 2902 |
| 13.4.1 | Intra-system mobility | 2902 |
| 13.4.1.1 | 2902 | |
| 13.4.1.2 | Inter-frequency mobility / E-UTRA to E-UTRA packet | 2902 |
| 13.4.1.3 | Intra-system mobility / E-UTRA FDD to E-UTRA TDD to E-UTRA FDD packet | 2906 |
| 13.4.1.4 | Inter-band mobility / E-UTRA to E-UTRA packet | 2913 |
| 13.4.1.5 | RRC connection reconfiguration / Handover/ Full configuration / DRB establishment | 2917 |
| 13.4.2 | Inter-system mobility packet..... | 2922 |
| 13.4.2.1 | Inter-system mobility / E-UTRA to UTRA packet..... | 2922 |
| 13.4.2.2 | Inter-system mobility / E-UTRAN to GPRS packet..... | 2932 |
| 13.4.2.3 | 2944 | |
| 13.4.2.4 | Inter-system mobility / Service based redirection from UTRA to E-UTRA | 2944 |
| 13.4.2.5 | Inter-system mobility/Service based redirection from GSM/GPRS to E-UTRA | 2948 |
| 13.4.2.6 | Inter-RAT PS Handover / from GPRS Packet_transfer to E-UTRA cell | 2951 |
| 13.4.2.7 | Inter-RAT PS Handover / Synchronised / From GPRS Packet_transfer to E-UTRA cell (CCN mode)..... | 2955 |
| 13.4.2.8 | Inter-RAT PS Handover / Synchronised / From GPRS Packet_transfer to E-UTRA cell (NC2 mode)..... | 2960 |
| 13.4.3 | Inter-system mobility voice..... | 2966 |
| 13.4.3.1 | Inter-system mobility / E-UTRA voice to UTRA CS voice / SRVCC..... | 2966 |
| 13.4.3.2 | Inter-system mobility / E-UTRA PS voice + PS data to UTRA CS voice + PS data / SRVCC | 2974 |
| 13.4.3.3 | Inter-system mobility / E-UTRA voice to GSM CS voice / SRVCC | 2984 |
| 13.4.3.4 | Inter-system mobility / E-UTRA voice to UTRA CS voice / Unsuccessful case / Retry on old cell / SRVCC..... | 2991 |
| 13.4.3.5 | Inter-system mobility / E-UTRA voice to GSM CS voice / Unsuccessful case / Retry on old cell / SRVCC..... | 3001 |
| 13.4.3.6 | Inter-system mobility / E-UTRA PS voice + PS Data / HO cancelled / Notification procedure / SRVCC..... | 3012 |
| 13.4.3.7 | Inter-system mobility / E-UTRA voice to UTRA CS voice / aSRVCC / MO call | 3017 |
| 13.4.3.8 | Inter-system mobility / E-UTRA voice to UTRA CS voice / aSRVCC / MO call / Forked responses | 3027 |
| 13.4.3.9 | Inter-system mobility / E-UTRA voice to UTRA CS voice / aSRVCC / MO call / SRVCC HO failure..... | 3039 |
| 13.4.3.10 | Inter-system mobility / E-UTRA voice to UTRA CS voice / aSRVCC / MT call..... | 3049 |
| 13.4.3.11 | Inter-system mobility / E-UTRA voice to UTRA CS voice / aSRVCC / MT call / SRVCC HO failure..... | 3060 |
| 13.4.3.12 | Inter-system mobility / E-UTRA voice to UTRA CS voice / aSRVCC / MT call / User answers in PS domain..... | 3069 |
| 13.4.3.13 | Inter-system mobility / E-UTRA voice to UTRA CS voice / aSRVCC / MT call / User answers in PS domain / SRVCC HO cancelled..... | 3080 |
| 13.4.3.14 | Inter-system mobility / E-UTRA PS voice + PS data to UTRA CS voice + PS data / aSRVCC / MO call..... | 3087 |
| 13.4.3.15 | Inter-system mobility / E-UTRA PS voice + PS data to UTRA CS voice + PS data / aSRVCC / MO call / SRVCC HO cancelled..... | 3093 |
| 13.4.3.16 | Inter-system mobility / E-UTRA PS voice + PS data to UTRA CS voice + PS data / aSRVCC / MT call | 3100 |

| | | |
|------------------------|--|------|
| 13.4.3.17 | Inter-system mobility / E-UTRA PS voice + PS data to UTRA CS voice + PS data / aSRVCC / MT call / SRVCC HO cancelled | 3106 |
| 13.4.4 | Inter-system session management | 3114 |
| 13.4.4.1 | Pre-registration at 1xRTT and Cell reselection / 1x Zone Registration | 3114 |
| 13.4.4.2 | Pre-registration at 1xRTT and Cell reselection / 1x Ordered Registration | 3121 |
| 13.4.4.3 | Inter-system session management / Multiple PDN connection establishment in eHRPD pre-registration state | 3125 |
| 13.4.4.4 | Inter-system session management / Pre-registration at HRPD and Cell reselection / HRPD Zone Registration | 3132 |
| 13.4.4.5 | Pre-Registration at 1xRTT / Power Down Registration | 3140 |
| 14 | ETWS | 3146 |
| 14.1 | ETWS reception in RRC_IDLE state / Duplicate detection | 3146 |
| 14.2 | ETWS reception in RRC_CONNECTED state / Duplicate detection | 3150 |
| 14.3 | Void | 3155 |
| 15 | Mobility management based on DSMIPv6 (Dual-Stack Mobile IPv6) | 3155 |
| 15.1 | Discovery of the home agent via DNS | 3155 |
| 15.2 | Discovery of the Home Agent via DHCP | 3157 |
| 15.3 | Void | 3160 |
| 15.4 | Security association establishment with Home Agent reallocation procedure | 3160 |
| 15.5 | Security association establishment without home agent reallocation procedure | 3171 |
| 15.6 | Registration of a new IPv6 CoA (Binding Update/Acknowledgment procedure in IPv6 network) | 3185 |
| 15.7 | Registration of a new IPv4 CoA (Binding Update/Acknowledgment procedure in IPv4 network) | 3188 |
| 15.8 | Re-registration of IPv6 CoA | 3191 |
| 15.9 | Re-registration of IPv4 CoA | 3192 |
| 15.10 | Return to home link | 3193 |
| 15.11 | Dual-Stack Mobile IPv6 detach in IPv6 network | 3195 |
| 15.12 | Dual-Stack Mobile IPv6 detach in IPv4 network | 3197 |
| 16 | Home (e)NB related | 3200 |
| 16.1 | UE Idle Mode Operations | 3200 |
| 16.1.1 | Cell Selection and Reselection | 3200 |
| 16.1.1.1 | Void | 3200 |
| 16.1.1.2 | Void | 3200 |
| 17 | MBMS in LTE | 3200 |
| 17.1 | MCCH Information Acquisition | 3200 |
| 17.1.1 | MCCH information acquisition/ UE is switched on | 3200 |
| 17.1.2 | MCCH information acquisition/ cell reselection to a cell in a new MBSFN area | 3203 |
| 17.1.3 | MCCH information acquisition/ UE handover to a cell in a new MBSFN area | 3205 |
| 17.1.4 | MCCH information acquisition/ UE is receiving an MBMS service | 3209 |
| 17.1.5 | MCCH information acquisition/ UE is not receiving MBMS data | 3211 |
| 17.2 | MBMS Data Reception | 3215 |
| 17.2.1 | UE Acquire the MBMS data based on the SIB13 and MCCH message /MCCH and MTCH are on the same MCH | 3215 |
| 17.2.2 | UE Acquire the MBMS data based on the SIB13 and MCCH message /MCCH and MTCH are on different MCHs | 3220 |
| 17.2.3 | UE receives the MBMS data when this data is in the beginning of the MSP | 3225 |
| 17.2.4 | Reception of PDCCH DCI format 0 and PHICH in MBSFN subframes | 3230 |
| 17.3 | MBMS Counting Procedure | 3233 |
| 17.3.1 | MBMS Counting / UE not receiving MBMS service | 3233 |
| 17.3.2 | MBMS Counting / UE receiving MBMS service | 3237 |
| 18 | PWS | 3241 |
| 18.1 | CMAS on LTE | 3241 |
| 18.1.1 | PWS reception in RRC_IDLE state / Duplicate detection | 3241 |
| 18.1.2 | PWS reception in RRC_CONNECTED state / Duplicate detection | 3246 |
| 18.1.3 | PWS reception in RRC_CONNECTED State/Power On | 3251 |
| Annex A (informative): | Change history | 3257 |

